



all about **aluminium**




Uninterrupted life
a head of you





Facade Systems | **SG 50 K**

SG 50 K Sistem štapne zid zavese
indeks i opis
SG 50 K Stick Curtain Wall System
Index & Description







ALUMINIJUMSKI PROFILI
ALUMINIUM PROFILES
Poklopna fasada SG50K

CRTEŽ PICTURE	ŠIFRA PROFILE NO	NAZIV PROFILA PROFILE NAME	TEŽINA WEIGHT (kg/m)	Jxx (cm ⁴)	Jyy (cm ⁴)
	288	41 mm Vertikala 41 mm Mullion Profile	1,580	19,57	13,29
	206	80 mm Vertikala 41 mm Mullion Profile	2,245	82,75	23,94
	207	80 mm Vertikala 80 mm Mullion Profile	1,890	64,06	20,38
	299	90 mm Vertikala 90 mm Mullion Profile	2,360	108,48	26,17
	208	100 mm Vertikala 100 mm Mullion Profile	2,560	150,67	29,06
	220	100 mm Vertikala 100 mm Mullion Profile	2,220	109,32	24,30
	209	120 mm Vertikala 120 mm Mullion Profile	2,950	255,55	34,59
	290/B	120 mm Vertikala 120 mm Mullion Profile	3,415	302,44	37,61
	250	120 mm Vertikala 120 mm Mullion Profile	2,390	174,58	20,10
	297	150 mm Vertikala 150 mm Mullion Profile	4,160	495,50	49,12
	245	200 mm Vertikala 200 mm Mullion Profile	5,110	1015,63	71,36
	285	135° 80mm Ugaona Vertikala 135° 80mm Corner Mullion profile	2,740	106,00	97,88
	200	20 mm Horizontala 20 mm Transom profile	1,040	7,76	3,30
	4199	30 mm Horizontala 30 mm Transom profile	1,210	10,54	7,20
	201	50 mm Horizontala 50 mm Transom profile	1,250	13,03	18,88
	202	88.5 mm Horizontala 88.5 mm Transom profile	1,610	20,42	71,36
	204	108.5 mm Horizontala 108.5 mm Transom profile	1,950	27,42	128,54
	205	128.5 mm Horizontala 128.5 mm Transom profile	2,140	31,71	191,69
	203	158.5 mm Horizontala 158.5 mm Transom profile	3,000	43,42	416,28
	211	50mm Horizontala 50 mm Transom profile For Horizontal Silicone	1,220	14,46	19,15
	215	Vertikala specijalna Mullion Profile for Skylight	2,020	35,23	15,40
	210	Profil za krovni prozor Transom Profile for Skylight	1,470	7,52	10,43
	236	Lajsna Cap Profile for Skylight Mullion	0,240	-----	-----


ALUMINIJUMSKI PROFILI
ALUMINIUM PROFILES
Poklopna fasada SG50K

CRTEŽ PICTURE	ŠIFRA PROFILE NO	NAZIV PROFILA PROFILE NAME	TEŽINA WEIGHT (kg/m)	Jxx (cm ⁴)	Jyy (cm ⁴)
	225	Držač stakla 90° Pressure Pr.for 90°	0,955	----	----
	226	Držač stakla Pressure Profile	0,625	----	----
	227	Držač stakla Pressure Profile	0,400	----	----
	228	Poklopac Cover Cap Profile	1,600	----	----
	229	Držač stakla Pressure Profile	0,560	----	----
	230	Poklopac za krov	0,400	----	----
	231	Poklopac 90° Cover Cap Pr.for 90°	0,800	----	----
	232	Poklopac Cover Cap Profile	0,545	----	----
	264	Poklopac (20,2) Cover Cap Profile(20,2)	0,310	----	----
	265	Poklopac (30,7) Cover Cap Profile(30,7)	0,385	----	----
	283	Badem Poklopac Cover Cap Profile	1,045	----	----
	4152	Držač stakla Pressure Profile	1,440	----	----
	4153	Poklopac (15,7) Cover Cap Profile (15,7)	0,285	----	----
	4153-D	Poklopac (15,7) Cover Cap Profile (15,7)	0,310	----	----
	4156	Ugaoni profil 90° 90° Corner Profile	0,985	----	----
	4200	Poklopac (20,7) Cover Cap profile (20,7)	0,385	----	----
	4201	Poklopac 150° Cover Cap profile for 150°	0,480	----	----
	4202	Držač stakla pod uglom 150° Pressure Profile profile for 150°	0,650	----	----
	6164	Badem poklopac veći Cover Cap profile	2,620	----	----
	6370	Badem Poklopac srednji Cover Cap profile	1,280	----	----
	8054	Držač stakla Pressure Profile	0,420	----	----
	8055	Poklopac (12) Cover Cap profile (12)	0,320	----	----
	8056	Poklopac (18) Cover Cap profile (18)	0,360	----	----
	8057	Poklopac (25,5) Cover Cap profile (25,5)	0,420	----	----
	8068(*)	Poklopac Cover Cap profile	0,560	----	----
	8069	Badem poklopac Cover Cap profile	0,080	----	----

ALUMINIJUMSKI PROFILI
ALUMINIUM PROFILES
Poklopna fasada SG50K

CRTEŽ PICTURE	ŠIFRA PROFILE NO	NAZIV PROFILA PROFILE NAME	TEŽINA WEIGHT (kg/m)	Jxx (cm ⁴)	Jyy (cm ⁴)
	261	Skriveno krilo Hidden Sash for Frame Pr.	0,460	-----	-----
	260/4295	Skriveno Krilo Hidden Sash Pr.	1,980	57,13	7,11
	4159	Dopuna krila Cover Cap profile	0,510	-----	-----
	4160	Skriveno krilo Hidden Sash for Frame Pr.	0,530	-----	-----
	4161	Skriveno krilo Hidden Sash Pr.	1,430	57,68	5,33
	4161/A	Skriveno krilo Hidden Sash Pr.	0,920	11,31	3,96
	4196	Skriveni štok Hidden Sash for Frame Pr.	1,060	-----	-----
	8047	Skriveni štok Hidden Sash for Frame Pr.	0,765	14,50	1,91
	8048	Skriveno krilo Hidden Sash Pr.	0,985	16,70	2,86
	8062	Štok u polje O Frame in the space	0,950	24,22	2,17
	8063	Krilo u polje Outside Opening Sash Pr.	1,150	28,16	3,55
	10572	Štok u polje Outside Opening Frame Pr.	1,170	20,38	4,66
	11084	Krilo u polje Outside Opening Sash Pr.	1,133	23,08	7,11
	11124/25	Štok u polje Outside Opening Insulated Frame Pr.	1,500	39,48	2,99
	11126/27	Krilo u polje Outside Opening Insulated Sash Pr.	1,315	23,58	3,32
	275	Krilo bez ter. prekida Non Insulated Sash Pr.	0,960	13,30	3,74
	293	Polu-krilo bez ter. prekida Sash Pr. for Composite	0,660	-----	-----
	796/97	Krilo bez ter. prekida Insulated Sash Pr.	1,270	15,58	4,38
	254	Eko krilo bez ter. prekida Eko Non Insulated sash Pr.	0,630	1,81	2,21
	292	Eko krilo bez ter. prekida Eko Sash Pr. for Composite	0,730	6,97	2,96
	255	Eko krilo bez ter. prekida Non Insulated Sash Pr.	1,335	33,69	6,84

**ALUMINIJUMSKI POFIL
ALUMINIUM PROFILES**
Poklopna fasada SG50K

CRTEŽ PICTURE	ŠIFRA PROFILE NO	NAZIV PROFILA PROFILE NAME	TEŽINA WEIGHT (kg/m)	Jxx (cm ⁴)	Jyy (cm ⁴)
	199	Držač stakla Glass Clamp	0,255	----	----
	238	Spojnica za profile T Connection Pr.	1,580	----	----
	239	Spojnica za profile T Connection Pr.	0,360	----	----
	241	Dilatacioni nastavak дренаže U Profile	0,205	----	----
	242	Dilatacioni poklopac Dilatation Cap Profile	0,230	----	----
	244	Naslon stakla Glazing Support Pr.	0,190	----	----
	244/B	Naslon stakla Glazing Support Pr.	0,250	----	----
	246	Nosač silikoniranih stakala Connection Pr.	0,365	----	----
	247	Nosač gume pod uglom 90° Glazing Adapter for 90°	0,325	----	----
	248	Nosač gume ravni Single Glazing Adapter	0,270	----	----
	252	Dilataciona spojnica Dilatation Profile	3,415	----	----
	256	Osigurači stakla Security bead	0,160	----	----
	257	Osigurači stakla Security bead	0,245	----	----
	276	Dodatak za makaze Hidden Sash Adapter Pr.	0,380	----	----
	278	Osigurač stakla sa kanalom Security bead	0,185	----	----
	280	Nosač krila	0,240	----	----
	284	Lajsna za silikon Glueing Profile For Glazing	0,110	----	----
	286	Distancer Fixing Part Profile	0,900	----	----
	287	Naslon krila Bearing for Sash Profile	0,280	----	----
	289	Nosač silikoniranih stakala Fixing Part Profile	0,425	----	----
	294	Osigurač stakla Glass Fiting	0,240	----	----
	295	Osigurač stakla Glass Fiting	0,110	----	----
	296	Lajsna za silikon Glueing Profile For Glazing	0,175	----	----
	298	Profil ojačanja za profile 297 i 245 Dilatation Profile for 297 and 245	2,980	----	----
	798	Osigurač stakla Glueing Support Profile	0,200	----	----
	877	Pogonska letva Push Rod	0,130	----	----

ALUMINIJUMSKI PROFILI






Poklopna fasada SG50K

[illegible]

**SG50 K Indeks i opis dodatka za
sistem štapne zid zavese**
SG50 K Stick curtain wall system
accessories index & description

- Profili
- Profiles

Poklopna fasada SG50K







GUMENI PROFILI				
SLIKA PICTURE	ŠIFRA PIECE NO	MATERIJAL MATERIAL	NAZIV DESCRIPTION	PAKET PACKET
	EPIL 1-3	EPDM	Guma stakla Interior Overlap Gasket	290 m/pk
	EPIL 7	EPDM	Diht guma Interior Overlap Gasket	800 m/pk
	EPIL 5-2	EPDM	Guma stakla "2 mm" Rabbit Gasket for Frame profile h=3 mm	400 m/pk
	Epil 27	EPDM	Diht guma Interior Overlap Gasket	420 m/pk
	EPIL 31	EPDM	Gume horizontale(3.5 mm) Vertical Glazing Gasket h=3.5 mm	250 m/pk
	EPIL 33	EPDM	Guma vertikalne (12.5 mm) Horizontal Glazing Gasket h=12.5 mm	100 m/pk
	EPIL 34	EPDM	Guma poklopnog profila "225,226,227,229,4202" Exterior Overlap Gasket for Pressure Profile 227	150 m/pk
	EPIL 37	EPDM	Guma poklopnog profila "4152." Exterior Overlap Gasket for Pressure Profile 4152	80 m/pk
	EPIL 39	Silikon	Guma za silikonsku fugu Finishing Gasket	100 m/pk
	EPIL 40	EPDM	Guma vertikalne (14.5 mm) Horizontal Glazing Gasket h=14.5 mm	80 m/pk
	EPIL 42	EPDM	Guma horizontalne sa drenažom (3.5 mm) Vertical Glazing Gasket h=3.5 mm	130 m/pk
	EPIL 46	EPDM	Guma osigurača Outside Barrier Gasket	350 m/pk
	EPIL 47	EPDM	Centralna guma Mullion and Transom Gasket	105 m/pk
	EPIL 48	EPDM	Guma poklopnog profila " 227. " Corner Gasket for Pressure Profile 4152	145 m/pk
	EPIL 49	EPDM	Guma horizontalne (h=5.5 mm) Vertical Glazing Gasket h=5.5 mm	200 m/pk

Količina porudžbine je minimalno 300 kg. / Minimum order quantity 300 kg

Težine su teoretske I svi profili se mere u trenutku isporuke. / Warning: The weights of profile is theoretical, weighting at the time of delivery are valid

- Profili
- Profiles

Poklopna fasada SG50K


GUMENI PROFILI				
SLIKA PICTURE	ŠIFRA PIECE NO	MATERIJAL MATERIAL	NAZIV DESCRIPTION	PAKET PACKET
	EPIL 51	Silikon	Pokrivna guma za fugu(silikon) Finishing gasket (silicon)	100 m/pk
	EPIL52	EPDM	Guma osigurača Outside Barrier Gasket	240 m/pk
	EPIL53	Silikon	Guma za silikonsku fugu Finishing Gasket	100 m/pk
	EPIL 54	EPDM	Eko guma za osigurač Outside Barrier Gasket (Eko Sytems)	320 m/pk
	EPIL 65	Silikon	Pokrivna guma Finishing gasket (Silicone)	100 m/pk
	EPIL 66	EPDM	Guma za pokrivni profil 4152 Corner Pressure Gasket for profile 4152	80 m/pk
	EPIL 67	EPDM	Guma za horizontalu sa drenažom (H:3.5 mm) "34 mm" Glazing Gasket for 34 mm glazing (h=3.5 mm)	100 m/pk
	EPIL 68	EPDM	Guma za horizontalu (h=9 mm) Vertical Glazing Gasket h=9 mm	85 m/pk
	EPIL 77	EPDM	Guma osigurača	100 m/pk
	EPIL 85-1	EPDM	Guma stakla (4 mm) Interior Glazing Gasket h=4 mm	200 m/pk
	EPIL 86	EPDM	Guma osigurača Outside Barrier Gasket	290 m/pk
	EPIL 196	EPDM	Guma profila 8054	250 m/pk
	EPIL 217	EPDM	Guma profila 8048 Frame Gasket for Projecting Window for 8048	75 m/pk
	EPIL241	EPDM	Diht guma "6 mm" Space Gasket for Pressure Profile	250 m/pk

Količina porudžbine je minimalno 300 kg. / Minimum order quantity 300 kg

Težine su teoretske i svi profili se mere u trenutku isporuke. / Warning: The weights of profile is theoretical, weighting at the time of delivery are valid

- Profili
- Profiles

Poklopna fasada SG50K









GUMENI PROFILI				
SLIKA PICTURE	ŠIFRA PIECE NO	MATERIJAL MATERIAL	NAZIV DESCRIPTION	PAKET PACKET
	Epil 233	EPDM	Diht guma Rabbit Gasket for Frame profile	415 m/pk
	Epil 236	EPDM	Spoljna guma External Rabbit Gasket for Projecting Window	260 m/pk
	Epil 237	EPDM	Pokrivna guma Cover Gasket for Projecting Window	375 m/pk
	Epil 239	EPDM	Guma za štok Frame Gasket for Projecting Window	100m/pk

Količina porudžbine je minimalno 300 kg. / Minimum order quantity 300 kg

Težine su teoretske I svi profili se mere u trenutku isporuke. / Warning: The weights of profile is theoretical, weighting at the time of delivery are valid

- Profili
- Profiles

Poklopna fasada SG50K







PRATEĆI MATERIJAL				
SLIKA PICTURE	ŠIFRA PIECE NO	MATERIJAL MATERIAL	NAZIV DESCRIPTION	PAKET PACKET
	PV1	PVC	Dilataciona zatvarač	3 m/kom
	PV2	PVC	Plastični distancer (15 MM) 15 mm Spacer	150 m/pk (50 ad.3m)
	PV3	PVC	Plastični distancer (19 MM) 19 mm Spacer	150 m/pk (50 ad.3m)
	PV4	PVC	Plastični distancer (15 MM) 15 mm Spacer	150 m/pk (50 ad.3m)
	PV5	PVC	Plastični distancer (25 MM) 25 mm Spacer	120 m/pk (40 ad.3m)
	PV6	PVC	Plastični naslon Bearing for Sash profile	50 kom/pk
	PV7	PVC	Plastični uvodnik Bearing for Sash profile	50 kom/pk
	PV14	PVC	Plastični Podmetač profila *8047 Transhom Support for Hidden Sash Profile	50 kom/pk
	PV25	PVC	Plastična kutija "16,5X18,5" PCV Box	150 m/pk (50 ad,3m/ad)
	PV26		Plastična kutija "17X25" PCV Box	90 m/pk (30 ad,3m/ad)
	PV27		Plastična kutija "17X30" PCV Box	90 m/pk (30 ad,3m/ad)
	PV28		Plastična kutija "17X34" PCV Box	90 m/pk (30 ad,3m/ad)
	PV29		Plastična kutija "20X24.5" PCV Box	90 m/pk (30 ad,3m/ad)

Količina porudžbine je minimalno 300 kg. / Minimum order quantity 300 kg

Težine su teoretske I svi profili se mere u trenutku isporuke. / Warning: The weights of profile is theoretical, weighting at the time of delivery are valid

- Profili
- Profiles

Poklopna fasada SG50K





PRATEĆI MATERIJAL				
SLIKA PICTURE	ŠIFRA PIECE NO	MATERIJAL MATERIAL	NAZIV DESCRIPTION	PAKET PACKET
	SC-530 K01	EPDM	Krst dopuna gume EPIL 47 Vulcanized Gasket	50 kom/pk
	SC-402	EPDM	Gumena ugaona dopuna Couple of Vulcanized Joint for Epil 33 and Epil 31	200 kom/pk (100 ad sag) (100 ad s0l)
	SC-435	INOX	Podloška stakla (L:100mm Glass Support	200 kom/pk
	SC-268	Metal	12*12 Tuljak Locaking device pieces 12X12	100 kom/pk
	SC-269	PVC	PVC čep profila 228 Cap for finishing header Use with 228 profile	100 kom/pk
	SC-502	Aluminijum	Lajsna za nalivanje stakala (6 mt/ad) Glazing Spacer Profile Black Anodized 20 mic	600 m/pk
	SC-504	Prohrom	Spojnica za SC-502 Corner Cleat for Spacer	50 kom/pk
	SC-506	Aluminijum	Držać stakla za profil 289 (50 mm/kom) Postavljanje na razmaku od 300 mm	6 m profil
	SC-520_50	EPDM	Gumeni podmetač 50 Manshette 50 mm	50 kom/pk
	SC-520_88.5		Gumeni podmetač 88.5 Manshette 88.5 mm	
	SC-520_108.5		Gumeni podmetač 108.5 Manshette 108.5 mm	
	SC-520_128.5		Gumeni podmetač 128.5 Manshette 128.5 mm	
	SC-520_158.5		Gumeni podmetač 158.5 Manshette 158.5 mm	
	SC-521_50	EPDM	K Gumeni podmetač 50 Manshette 50 mm	50 kom/pk
	SC-521_88.5		K Gumeni podmetač 88.5 Manshette 88.5 mm	
	SC-521_108.5		K Gumeni podmetač 108.5 Manshette 108.5 mm	
	SC-521_128.5		K Gumeni podmetač 128.5 Manshette 128.5 mm	
	SC-521_158.5		K Gumeni podmetač 158.5 Manshette 158.5 mm	

Količina porudžbine je minimalno 300 kg. / Minimum order quantity 300 kg

Težine su teoretske I svi profili se mere u trenutku isporuke. / Warning: The weights of profile is theoretical, weighting at the time of delivery are valid

- Profili
- Profiles

Poklopna fasada SG50K

PRATEĆI MATERIJAL				
SLIKA PICTURE	ŠIFRA PIECE NO	MATERIJAL MATERIAL	NAZIV DESCRIPTION	PAKET PACKET
	SC-522_80	Metal cinkovani	80mm L Kotva L Anchorage 80 mm	Komad
	SC-522_100		100mm L Kotva L Anchorage 100 mm	
	SC-522_120		120mm L Kotva L Anchorage 120 mm	
	SC-522_150		150mm L Kotva L Anchorage 150 mm	
	SC-523_80	Metal cinkovani	80mm U Kotva U Anchorage 80 mm	Komad
	SC-523_100		100mm U Kotva U Anchorage 100 mm	
	SC-523_120		120mm U Kotva U Anchorage 120 mm	
	SC-523_150		150mm U Kotva U Anchorage 150 mm	
	SC-524_80	Metal cinkovani	80mm F Kotva F Anchorage 80 mm	Komad
	SC-524_100		100mm F Kotva F Anchorage 100 mm	
	SC-524_120		120mm F Kotva F Anchorage 120 mm	
	SC-524_150		150mm F Kotva F Anchorage 150 mm	
	SC-525	PVC	PVC za kotvu PVC for Anchorage	50 kom /pk

Količina porudžbine je minimalno 300 kg. / Minimum order quantity 300 kg


Težine su teoretske I svi profili se mere u trenutku isporuke. / Warning: The weights of profile is theoretical, weighting at the time of delivery are valid

SG50 K
Puna skala preseka sistema
aluminijumskih štapnih zid
zavesa
SG50 K Stick Curtain Wall System
Full Scale Sections

- Profili
- Profiles

Poklopna fasada SG50K

VERTIKALE




No : 288

41' Vertikala

1,580 kg/m

$J_x = 19,57 \text{ cm}^4$

$J_y = 13,29 \text{ cm}^4$




No : 207

80' Vertikala

1,890 kg/m

$J_x = 64,06 \text{ cm}^4$

$J_y = 20,38 \text{ cm}^4$




No : 250

120' Vertikala

2,390 kg/m

$J_x = 174,58 \text{ cm}^4$

$J_y = 29,22 \text{ cm}^4$



No : 220

100' Vertikala

2,220 kg/m




$J_x = 109,32 \text{ cm}^4$

$J_y = 24,30 \text{ cm}^4$

- Profili
- Profiles

Poklopna fasada SG50K


VERTIKALE



- Profili
- Profiles

Poklopna fasada SG50K

VERTIKALE




Količina porudžbine je minimalno 300 kg. / Minimum order quantity 300 kg

Težine su teoretske i svi profili se mere u trenutku isporuke. / Warning: The weights of profile is theoretical, weighting at the time of delivery are valid

- Profili
- Profiles

Poklopna fasada SG50K


VERTIKALE



- Profili
- Profiles


Poklopna fasada SG50K

HORIZONTALALE




No : **200**

20' Horizontala za krov
1,040 kg/m
 $J_x = 7,76 \text{ cm}^4$
 $J_y = 3,30 \text{ cm}^4$




No : 4199

30' Horizontala
1,210 kg/m
 $J_x = 10,54 \text{ cm}^4$
 $J_y = 7,20 \text{ cm}^4$




No : **201**

50' Horizontala
1,250 kg/m
 $J_x = 13,03 \text{ cm}^4$
 $J_y = 18,88 \text{ cm}^4$



No : **202**

88,5' Horizontala
1,610 kg/m
 $J_x = 20,42 \text{ cm}^4$
 $J_y = 71,36 \text{ cm}^4$






No : 204

108,5' Horizontala
1,950 kg/m
 $J_x = 27,42 \text{ cm}^4$
 $J_y = 128,54 \text{ cm}^4$

- Profili
- Profiles

Poklopna fasada SG50K


HORIZONTALALE



- Profili
- Profiles

Poklopna fasada SG50K

SISTEM SVETLARNIKA




No : 215

Vertikalna specijalna
2,020 kg/m

$$Jx = 35,23 \text{ cm}^4$$

$$Jy = 15,40 \text{ cm}^4$$




No : 210

Vertikalna za krov

1,470 kg/m

$$Jx = 7,52 \text{ cm}^4$$

$$Jy = 10,43 \text{ cm}^4$$




No : 236

Lajsna
0,240 kg/m


- Profili
- Profiles

Poklopna fasada SG50K



- Profili
- Profiles

Poklopna fasada SG50K




No : 8047

Krilo

0,765kg/m

Jx=14,50 cm⁴ Jy=1,91 cm⁴




No : 8048

Krilo

0,985 kg/m

Jx=16,70 cm⁴ Jy=2,86 cm⁴




No : 8062

Krilo

0,950 kg/m

Jx=24,22 cm⁴ Jy=2,17 cm⁴



No : 8063


Krilo

1,150 kg/m

Jx=28,16 cm⁴ Jy=3,55 cm⁴

- Profili
- Profiles

Poklopna fasada SG50K



No : 11124/11125

Štok


1,500 kg/m

$J_x=39,48 \text{ cm}^4$ $J_y=2,99 \text{ cm}^4$

Napomena: 18 mm Polyamid

11125

(20 mikron Mat crna elkosirana)



No : 11126/11127

Krilo

1,315 kg/m

$J_x=23,58 \text{ cm}^4$ $J_y=3,32 \text{ cm}^4$


Napomena: 18 mm Polyamid

11127

(20 mikrona mat crna eloksaža)

- Profili
- Profiles


Poklopna fasada SG50K



No : 10572

Štok 1,170 kg/m


Jx=20,11 cm⁴ Jy=4,48 cm⁴



No : 11084

Krilo. 1,135 kg/m Jx=23,08 cm⁴

Jy=7,11 cm⁴



No : (*) 7039/40

Dopuna

0,900 kg/m


No : (*) 8081/82

Dopuna

0,725 kg/m


Minimalna količina za poručivanja 600kg

Minimum order quantity: 600 Kgs.




- Profili
- Profiles

Poklopna fasada SG50K




No : **275**

Krilo
0,960 kg/m
Jx=13,30 cm⁴
Jy=3,74 cm⁴



No : 293


Polu-krilo
0,660 kg/m



(Siva eloksaža)


No : 796/97

Krilo
1,270 kg/m
Jx=15,58 cm⁴
Jy=4,38 cm⁴




No : **284**

(Mat crna eloksaža)
Lajsna za silikon
0,110 kg/m




No : **877**

Pogonska letva
0,130 kg/m




No : **4163**

Pogonska letva
0,285 kg/m




No : 4293

Pogonska letva
0,180 kg/m




No : **278**

(Mat crna eloksaža)
Osigurač stakla
0,185 kg/m



No : **276**

Adapter za makaze
(275, 796/97)
0,380 kg/m




No : **4231**

Prihvatnik tuljka
1,250 kg/m

- Profili
- Profiles

Poklopna fasada SG50K



No : 254


Eko krilo
0,630 kg/m
Jx=1,81 cm⁴
Jy=2,21 cm⁴

No : 292

Eko krilo
0,730 kg/m
Jx=6,97 cm⁴
Jy=2,96 cm⁴

No : 255


Eko krilo
1,335 kg/m
Jx=33,69 cm⁴
Jy=6,84 cm⁴



No : 4294


(Mat siva eloksaža)

Eko lajsna za silikon
0,210 kg/m




No : 257

Eko osigurači stakla
0,245 kg/m
(Mat siva eloksaža)



No : 256

Eko osigurači stakla
0,160 kg/m




No : 4156

90° Eko dopuna ugla
0,985 kg/m


- Profili
- Profiles

Poklopna fasada SG50K




No : 4152

Držač stakla
0,440 kg/m




No : 4153-D

Poklopac
0,310 kg/m




No : 4153

Poklopac
0,285 kg/m




No : 227

Držač stakla
0,400 kg/m



No : 4200


Poklopac
0,385 kg/m



No : 230


Krovni poklopac

0,400 kg/m




No : 265

Poklopac
0,385 kg/m




No : 264

Poklopac
0,310 kg/m




NO : 8054

Držač stakla
0,420 kg/m




NO : 8055

Poklopac
0,320 kg/m



NO : 8056

Poklopac
0,360 kg/m





NO : 8057


Poklopac
0,420 kg/m

- Profili
- Profiles


Poklopna fasada SG50K




NO : 8068
28 mm Poklopac
0,560 kg/m



NO : 228
Poklopac (100 mm)
1,600 kg/m




NO : 283
Badem Poklopac
1,045 kg/m




NO : 6370
Manji badem
Poklopac
1,280 kg/m

- Profili
- Profiles

Poklopna fasada SG50K



NO : 8069 Badem poklopac srednji
170 mm
2,080 kg/m





NO : 6164 Badem poklopac veći
220 mm
2,620 kg/m

SG 50 K



- Profili
- Profiles

Poklopna fasada SG50K





NO : **247**
Nosač gume 90 °
0,325 kg/m

NO : 4202
Držač stakla pod uglom 150 °
0,650 kg/m




NO : 4203
Nosač gume 150 °
0,230 kg/m

No : 226
Držač stakla
0,625 kg/m




No : 232
Poklopac
0,545 kg/m






No : **248**
Nosač gume ravni
0,270 kg/m

- Profili
- Profiles

Poklopna fasada SG50K



252 Dilataciona spojnica			
Šifra profila	Mera rezanja	Šifra profila	Mera rezanja
206	49,85 mm	220	70,85 mm
207	51,50 mm	250	90,85 mm
208	68,85 mm	285	77,95 mm
209	87,35 mm	288	12,80 mm
209/B	83,70 mm	299	59,75 mm




- Profili
- Profile

Poklopna fasada SG50K


238 ve 239
Mera rezanja

Šifra profila	Mera rezanja
4199	20,7 mm
201, 211	40,8 mm
202	79,1 mm
204	99,1 mm
205	119,1 mm
203	146,1 mm




No : **239**
Nosač spojnice
0,360 kg/m

No : **238**
Spojnica
1,580 kg/m




No : **286**
Distancer 5 mm
0,900 kg/m




No : **199**
Držać stakla
(Mera rezanja 40 mm)


0,255 kg/m
500 mm de bir kullanılır.



No : **244**
Naslon stakla
(Mera rezanja 50 mm)
0,190 kg/m




No : **244/B**
Naslon stakla
(Mera rezanja 50 mm)
0,250 kg/m



No : **295**
(Mera rezanja 50 mm)
0,110 kg/m

- Profili
- Profiles


Poklopna fasada SG50K



No : **289**


Držac stakla
0,425 kg/m

Postavljanje na razmaku od 300mm




No : **8066**

Lajsna za nalivanje stakla
0,260 kg/m




No : **280**

Držac krila
Mera rezanja: 50 mm)
0,240 kg/m
300 mm de bir kullanılır.




No : **246**

Nosač silikoniranih
stakala
(Mera rezanja : 50 mm)
0,365 kg/m
300 mm de bir kullanılır.



No : **11975**


Nosač silikoniranih
stakala
(Mera rezanja 50 mm)
0,380 kg/m
300 mm de bir kullanılır.



No : **294**


Osigurač stakla
0,240 kg/m
(Mera rezanja 50 mm)

(Crna mat eloksirana)



No : **798**

Osigurač stakla
0,200 kg/m
(Mera rezanja 50 mm)
(Crna mat eloksirana)







No : **287**

Naslon krila
(Mera rezanja 100 mm)
0,280 kg/m

- Profili
- Profiles

Poklopna fasada SG50K




CRTEŽ PICTURE	ŠIFRA PROFILE NO	NAZIV PROFILE NAME	TEŽINA WEIGHT (kg/m)	PROFİL KOJI SE KORISTI PROFILES USED	MERA REZANJA (mm) CUTTING DIMENSIONS
	339	Ugaona spojnica 27 m Corner Cleat	6,225	255	15,80
	858	Ugaona spojnica 11 mm Corner Cleat	3,230	293	33,00
	1409	Ugaona spojnica 4mm Corner Cleat	0,830	293	20,50
	9084	Ugaona spojnica 13.2mm Corner Cleat	2,370	4161 4161/A 255	42,00
				4196	40,50
				10572	32,50
				11084	37,30

Količina porudžbine je minimalno 300 kg. / Minimum order quantity 300 kg

Težine su teoretske I svi profili se mere u trenutku isporuke. / Warning: The weights of profile is theoretical, weighting at the time of delivery are valid

- Profili
- Profiles

Poklopna fasada SG50K

CRTEŽ PICTURE	ŠIFRA PROFILE NO	NAZIV PROFILE NAME	TEŽINA WEIGHT (kg/m)	PROFIL KOJI SE KORISTI PROFILES USED	MERA REZANJA(mm) CUTTING DIMENSIONS
	4292	Ugaono spojnica 11.7mm Corner Cleat	3,820	292	15,80
				254	15,80
				260/4295	45,20
				275	25,20
				796/97	12,20 4,303
				8047	2,303
				8048	2,801 6,303
				8062	,2030
				8063	,50
	5541	Ugaona spojnica 3m Corner Cleat	2,550	275	28,70
				796/97	33,10
	6209	Ugaona spojnica 7.9mm Corner Cleat	2,910	8062	20,70
				8063	34,30


SG 50 K
Štapni sistem staklene
fasade

Karakteristični detalji

SG 50 K
Stick Curtain Wall System
Typical Details



- Detalji
- Details

Poklopna fasada SG50K



VERTIKALNA DETALJI
MULLION DETAIL

Detalj
Detail 1




- Detalji
- Details

Poklopna fasada SG50K

*Detalj
Detail 1*

IZOLACIONI PANEL - VERTIAKLA DETALJ
SPANDREL PANEL- MULLION DETAIL




Količina porudžbine je minimalno 300 kg. / Minimum order quantity 300 kg



Težine su teoretske I svi profili se mere u trenutku isporuke. / Warning: The weights of profile is theoretical, weighting at the time of delivery are valid

- Detalji
- Details

Poklopna fasada SG50K




IZOLACIONI PANEL - HORIZONTALA DETALJ
SPANDREL PANEL- TRANSOM DETAIL



Detalj 2
Detail 2


- Detalji
- Details

Poklopna fasada SG50K



SI 66 SISTEM - VENTILACIONI OTVOR U STAKLENOJ
FASADI
SI 66 SYSTEM OPENING VENT IN CURTAIN WALL

Detalj
Detail **3**




Količina porudžbine je minimalno 300 kg. / Minimum order quantity 300 kg

Težine su teoretske I svi profili se mere u trenutku isporuke. / Warning: The weights of profile is theoretical, weighting at the time of delivery are valid


- Detalji
- Details

Poklopna fasada SG50K



**SI 58 SISTEM - VENTILACIONI OTVOR U STAKLENOJ
FASADI**
SI 58 SYSTEM OPENING VENT IN CURTAIN WALL

Detalj
Detail **3.1**




SG 50 K

- Detalji
- Details


Poklopna fasada SG50K

SI 58 SISTEM - VENTILACIONI OTVOR U STAKLENOJ FASADI

SI 58 SYSTEM OPENING VENT IN CURTAIN WALL




Detalj
Detail **3.2**



- Detalji
- Details


Poklopna fasada SG50K

**EW 55 SISTEM - VENTILACIONI OTVOR U STAKLENOJ
FASADI**
EW 55 SYSTEM OPENING VENT IN CURTAIN WALL



Detalj
Detail **3.3**


UNUTRA
(INSIDE)



Detalj
Detail **3'**


- Detalji
- Details

Poklopna fasada SG50K




**DETALJ KRILA - VERTIKALA U STAKLENOJ
FASADI**
SASH DETAIL MULLION IN CURTAIN WALL

Detalj
Detail **4**




- Detalji
- Details

Poklopna fasada SG50K



**DETALJ KRILA - HORIZONTALA U STAKLENOJ
FASADI**
SASH DETAIL TRANSOM IN CURTAIN WALL

Detalj
Detail **5**




SG 50 K


- Detalji
- Details

Poklopna fasada SG50K


Detalj skrivenog krila u staklenoj fasadi
HIDDEN SASH DETAIL MULLION IN CURTAIN WALL



Zastakljivanje plastificiranih profila



**** Ako je 4161- A plastificiran koristi se 296 eloks.**




Detalj
Detail


- Detalji
- Details

Poklopna fasada SG50K

Skriveni detalj vertikalnog krila u staklenoj fasadi
HIDDEN SASH DETAIL TRANSOM IN CURTAIN WALL



Detalji
Detail **5.1**




SG 50 K


- Detalji
- Details

Poklopna fasada SG50K

Skriveni detalj vertikalnog krila u staklenoj fasadi
HIDDEN SASH DETAIL MULLION IN CURTAIN WALL



Detalji
Detail **4.2**



Količina porudžbine je minimalno 300 kg. / Minimum order quantity 300 kg


Težine su teoretske i svi profili se mere u trenutku isporuke. / Warning: The weights of profile is theoretical, weighting at the time of delivery are valid

- **Detalji**
- **Details**


Poklopna fasada SG50K

Detalj skrivenog krila vertikale u staklenoj fasadi

HIDDEN SASH DETAIL MULLION IN CURTAIN WALL



Detail 4.3




SG 50 K

- Detalji
- Details


Poklopna fasada SG50K

Detalj skrivenog krila horizontalne u staklenoj fasadi

HIDDEN SASH DETAIL TRANSOM IN CURTAIN WALL



Detalj
Detail **5.1**




- Detalji
- Details

Poklopna fasada SG50K

Detalj skrivenog krila vertikale u staklenoj fasadi

HIDDEN SASH DETAIL MULLION IN CURTAIN WALL



SG 50 K


Količina porudžbine je minimalno 300 kg. / Minimum order quantity 300 kg

Težine su teoretske i svi profili se mere u trenutku isporuke. / Warning: The weights of profile is theoretical, weighting at the time of delivery are valid


- Detalji
- Details

Poklopna fasada SG50K

Detalj skrivenog krila horizontalne u staklenoj fasadi
HIDDEN SASH DETAIL TRANSOM IN CURTAIN WALL




Detalj
Detail 5.2



- Detalji
- Details

Poklopna fasada SG50K


Detalj skrivenog krila vertikalne u staklenoj fasadi
HIDDEN SASH DETAIL MULLION IN CURTAIN WALL




- Detalji
- Details

Poklopna fasada SG50K

Detalj skrivenog krila horizontalne u staklenoj fasadi
HIDDEN SASH DETAIL TRANSOM IN CURTAIN WALL



Detalj
Detail **5.3**




Količina porudžbine je minimalno 300 kg. / Minimum order quantity 300 kg

Težine su teoretske i svi profili se mere u trenutku isporuke. / Warning: The weights of profile is theoretical, weighting at the time of delivery are valid



- Detalji
- Details

Poklopna fasada SG50K




135 ° Detalj spoljašnjeg ugla
135 ° EXTERIOR CORNER DETAIL

Detalj
Detail 6




- Detalji
- Details

Poklopna fasada SG50K




- Detalji
- Details

Poklopna fasada SG50K




- Detalji
- Details

Poklopna fasada SG50K



90° Detalj spoljnog ugla
90° EXTERIOR CORNER DETAIL




Detalj
Detail 6.3

- Detalji
- Details



Poklopna fasada SG50K

Maximum 14° sa jednog na drugi profil.

14° detalj spoljog ugla
Max 14° EXTERIOR CORNER DETAIL




Detalj
Detail 6.4'



Detalj
Detail 6.4

- Detalji
- Details

Poklopna fasada SG50K




Detalj 7
Detail 7


SG 50 K

- Detalji
- Details

Poklopna fasada SG50K




Detalj
Detail **8**




SG 50 K

- Detalji
- Details

Poklopna fasada SG50K




Detalj
Detail **8.1**




- Detalji
- Details

Poklopna fasada SG50K




Detalj 9
Detail 9



SG 50 K

- Detalji
- Details

Poklopna fasada SG50K



SI 66 Sistem ugradnje pozicije u fasadi (vrata)
SI 66 SYSTEM INSIDE OPENING DOOR IN CURTAIN WALL

SFKM-66-072

Nalepna šarka

Unutra
(INSIDE)

Spolja
(OUTSIDE)


Detail 1
Detail

Količina porudžbine je minimalno 300 kg. / Minimum order quantity 300 kg

Težine su teoretske I svi profili se mere u trenutku isporuke. / Warning: The weights of profile is theoretical, weighting at the time of delivery are valid

- Detalji
- Details

Poklopna fasada SG50K




*Detalj
Detail 2*

SG 50 K

- Detalji
- Details


Poklopna fasada SG50K



**UNUTRAŠNJE OTVARANJE VRATA U
STAKLENOJ FASADI
SYSTEM INSIDE OPENING DOOR IN CURTAIN WALL**


Razmera: 1/1,25
scale: 1/1,25

Detalj 4
Detail



- **Detalji**
- **Details**

Poklopna fasada SG50K




Razmera: 1/1.25
scale: 1/1,25

Detail 4' 4'

SISTEM SPOLJAŠNJEG OTVARANJA VRATA U STAKLENOJ FASADI

SYSTEM OUTSIDE OPENING DOOR IN CURTAIN WALL



SG 50 K


Količina porudžbine je minimalno 300 kg. / Minimum order quantity 300 kg

Težine su teoretske I svi profili se mere u trenutku isporuke. / Warning: The weights of profile is theoretical, weighting at the time of delivery are valid



- Detalji
- Details

Poklopna fasada SG50K


SPOLJAŠNJI POKLOPCI





POKLOPAC RAVNI



POKLOPAC OVALNI





- Detalji
- Details

Poklopna fasada SG50K**SPOLJAŠNJI POKLOPCI****BADEM POKLOPAC****KROVNI POKLOPAC**



- Detalji
- Details

Poklopna fasada SG50K





Alternative za upotrebu stakla

Vertikalni detalji




Horizontalni detalji



- Detalji
- Details


Poklopna fasada SG50K




SG 50 K

- Detalji
- Details

Poklopna fasada SG50K




Detalj vertikalnog zastakljivanja
STRUCTURAL GLAZING VERTICAL DETAIL



- Detalji
- Details

Poklopna fasada SG50K




Količina porudžbine je minimalno 300 kg. / Minimum order quantity 300 kg


Težine su teoretske i svi profili se mere u trenutku isporuke. / Warning: The weights of profile is theoretical, weighting at the time of delivery are valid

- Detalji
- Details

Poklopna fasada SG50K



Detalj sistema polu strukturalnih stakala
STRUCTURAL GLAZING VERTICAL CAP DETAIL




Detalj
Detail 2


- Detalji
- Details

Poklopna fasada SG50K

Sistem polu strukturalnih stakala
STRUCTURAL GLAZING HORIZONTAL CAP DETAIL



Detalj
Detail 1




SG 50 K

- Detalji
- Details

Poklopna fasada SG50K


Detalji horizontalnog skrivenog krila u polu strukturalnoj staklenoj fasadi
HIDDEN SASH DETAIL IN STRUCTURAL GLAZING HORIZONTAL CAP




- Detalji
- Details

Poklopna fasada SG50K

Detalj skrivenog vertikalnog krila u strukturalnoj fasadi
SASH DETAIL IN STRUCTURAL GLAZING VERTICAL




Detalj 3
Detail 3




- Detalji
- Details

Poklopna fasada SG50K

Detalj skrivenog krila vertikalne u strukturalnoj fasadi
HIDDEN SASH DETAIL IN STRUCTURAL GLAZING VERTICAL






Detalj 3A
Detail 3A



- Detalji
- Details

Poklopna fasada SG50K

Sistem strukturalnih stakala
STRUCTURAL GLAZING VERTICAL DETAIL




SG 50 K


- Detalji
- Details

Poklopna fasada SG50K

Sistem strukturalnih stakala
STRUCTURAL GLAZING VERTICAL DETAIL




Detalj
Detail **4A**




- Detalji
- Details

Poklopna fasada SG50K




Detalj nalivenih strukturalnih krila
STRUCTURAL GLAZING MULLION DETAIL




- Detalji
- Details

Poklopna fasada SG50K




Detalj nalivenih strukturalnih krila
STRUCTURAL GLAZING TRANSOM DETAIL

Detalj
Detail 2




- **Detalji**
- **Details**

Poklopna fasada SG50K




Detalj nalivenih strukturalnih krila STRUCTURAL GLAZING MULLION DETAIL




- Detalji
- Details

Poklopna fasada SG50K




Detalj nalivenih strukturalnih krila
STRUCTURAL GLAZING TRANSOM DETAIL

Detalj 4
Detail 4




- Detalji
- Details

Poklopna fasada SG50K





Naliveno strukturalno krilo - izolacioni panel detalj
SPENDRAL PANEL-STRUCTURAL GLAZING MULLION DETAIL

Detalj 5
Detail 5





- Detalji
- Details

Poklopna fasada SG50K



135° Detalj spoljnog ugla
135° EXTERIOR CORNER DETAIL

Detalj
Detail **6**




90° Detalj spoljnog ugla
90° EXTERIOR CORNER DETAIL

Detalj
Detail **6A**


- Detalji
- Details

Poklopna fasada SG50K



Sistem vertikalnih strukturalnih stakala
STRUCTURAL GLAZING MULLION DETAIL


Detalj
Detail 1



SG 50 K


- Detalji
- Details

Poklopna fasada SG50K



Sistem horizontalnih strukturalnih stakala
STRUCTURAL GLAZING TRANSOM DETAIL


Detalj
Detail 2




- Detalji
- Details

Poklopna fasada SG50K


Sistem vertikalnih strukturalnih stakala
STRUCTURAL GLAZING MULLION DETAIL



Detalj
Detail 1



Detalj
Detail 1




SG 50 K



- Detalji
- Details

Poklopna fasada SG50K

Sistem horizontalnih strukturalnih stakala
STRUCTURAL GLAZING MULLION DETAIL



Detalj
Detail .2




Detalj
Detail 2


- Detalji
- Details

Poklopna fasada SG50K

Sistem vertikalnih strukturalnih stakala
STRUCTURAL GLAZING MULLION DETAIL



Detalj
Detail 1'




Sikasil SG 20

Količina porudžbine je minimalno 300 kg. / Minimum order quantity 300 kg

Težine su teoretske I svi profili se mere u trenutku isporuke. / Warning: The weights of profile is theoretical, weighting at the time of delivery are valid


- Detalji
- Details

Poklopna fasada SG50K




Sistem horizontalnih strukturalnih stakala
STRUCTURAL GLAZING MULLION DETAIL

Detalj
Detail 2'




- **Detalji**
- **Details**

Poklopna fasada SG50K




Ekonomik sistem silikoniranih stakala po vertikali
ECONOMIC STRUCTURAL GLAZING MULLION DETAIL




- Detalji
- Details

Poklopna fasada SG50K




Ekonomik sistem silikoniranih stakala po horizontali
ECONOMIC STRUCTURAL GLAZING TRANSOM DETAIL

Detalj
Detail **2**




- Detalji
- Details

Poklopna fasada SG50K



Ekonomik sistem silikoniranih stakala po vertikali
ECONOMIC STRUCTURAL GLAZING MULLION DETAIL


Detalj
Detail **3**



SG 50 K


- Detalji
- Details

Poklopna fasada SG50K




Ekonomik sistem silikoniranih stakala po horizontali
ECONOMIC STRUCTURAL GLAZING TRANSOM DETAIL

Detalj
Detail 4




- Detalji
- Details

Poklopna fasada SG50K




Ekonomik sistem silikoniranih stakala po vertikali
ECONOMIC STRUCTURAL GLAZING MULLION DETAIL

Detalj
Detail 1




- Detalji
- Details

Poklopna fasada SG50K




Ekonomik sistem silikoniranih stakala po horizontali
ECONOMIC STRUCTURAL GLAZING TRANSOM DETAIL

Detalj
Detail 2




- **Detalji**
- **Details**

Poklopna fasada SG50K




Ekonomik sistem silikoniranih stakala po vertikali
ECONOMIC STRUCTURAL GLAZING MULLION DETAIL

Detail **1**




- Detalji
- Details

Poklopna fasada SG50K




Ekonomik sistem silikoniranih stakala po horizontali
ECONOMIC STRUCTURAL GLAZING TRANSOM DETAIL

Detalj
 Detail 2



- **Detalji**
- **Details**


Poklopna fasada SG50K



Detalj četvostranog sistema


FOUR SIDE SYSTEM MULLION DETAIL

Detailj *1*
Detail




- Detalji
- Details

Poklopna fasada SG50K



Detalj četverostranog sistema
FOUR SIDE SYSTEM TRANZOM DETAIL

Detalj
Detail 2




NAPOMENA

- Koristiti na zgradama visine do 10 metara.
- Silikonirana stakla veća od 1m osigurati pokrivnih kapama

- Detalji
- Details


Poklopna fasada SG50K



Detalj četverostranog sistema vertikale

FOUR SIDE SYSTEM MULLION DETAIL

Detalj 3
Detail 3



SG 50 K

Napomena:


- Koristiti na zgradama maksimalne visine do 10m.
- Silikonirana stakla veća od 1m osigurati pokrivnim kapama

Količina porudžbine je minimalno 300 kg. / Minimum order quantity 300 kg

Težine su teoretske i svi profili se mere u trenutku isporuke. / Warning: The weights of profile is theoretical, weighting at the time of delivery are valid

- Detalji
- Details


Poklopna fasada SG50K



Detalj četverostranog sistema horizontale

FOUR SIDE SYSTEM TRANZOM DETAIL

**Detalj
Detail 4**



Napomena:

- Koristiti na zgradama maksimalne visine do 10m.
- Silikonirana stakla veća od 1m osigurati pokrivnim kapama



Količina porudžbine je minimalno 300 kg. / Minimum order quantity 300 kg

Težine su teoretske i svi profili se mere u trenutku isporuke. / Warning: The weights of profile is theoretical, weighting at the time of delivery are valid

- Detalji
- Details

Poklopna fasada SG50K


Detalji svetlarnika
SKYLIGHT MULLION DETAIL




Detalj 1
Detail 1

- Detalji
- Details

Poklopna fasada SG50K




Detalji krovnog prozora
SKYLIGHT TRANSOM DETAIL




Detalj
Detail **2**

- Detalji
- Details

Poklopna fasada SG50K



Krovni ugaoni prelaz
SKYLIGHT DETAIL




Detalj
Detail **3**

- Detalji
- Details


Poklopna fasada SG50K

Detalji završne obrade krovnog prozora
SKYLIGHT FINISHING DETAIL




- Detalji
- Details

Poklopna fasada SG50K



Krovni ugaoni prelaz
SKYLIGHT DETAIL



SG 50 K

Detalj 5
Detail


Planovi za rezanje
mera
i
Sklopni crteži

Cutting Measure Plans
and
Assembly Drawing

- Detalji
- Details

Poklopna fasada SG50K


Detalj ankerisanja i izrade dilatacionog spoja



- Detalji
- Details

Poklopna fasada SG50K


Detalj dilatacionog profila



- Detalji
- Details

Poklopna fasada SG50K

Detalj dilatacije




SG 50 K

- Detalji
- Details



Poklopna fasada SG50K

Veza horizontale



- **Detalji**
- **Details**

Poklopna fasada SG50K





SG 50 K

- Detalji
- Details

Poklopna fasada SG50K

Veza horizontale



4153-D


Količina porudžbine je minimalno 300 kg. / Minimum order quantity 300 kg

Težine su teoretske I svi profili se mere u trenutku isporuke. / Warning: The weights of profile is theoretical, weighting at the time of delivery are valid

- Detalji
- Details

Poklopna fasada SG50K


Veza horizontalne



- Detalji
- Details

Poklopna fasada SG50K

Montaža gumenih profila




SG 50 K

- Detalji
- Details

Poklopna fasada SG50K

Proizvodne mere



SG 50 K